EAST Search History

| Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	171	((completion near3 (queue fifo buffer)) and ((event request work) near3 (queue fifo buffer))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 16:24
L2	836	((address near3 translation) and ((virtual logical) near3 (address id)) and (physical near3 (address id))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 16:25
L3	3	1 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 16:25

| L7 | 295 | (("20060265525") or ("20070005815") or ("5655146") or ("20060265561") or ("4847748") or ("5377337") or ("5983341") or ("6226695") or ("6226695") or ("20060143506") or ("6163834") or ("20040193832") or ("5680425") or ("5802131") or ("5881303") or ("5958019") or ("6205507") or ("6874054") or ("20040123013") or ("20050165980") or ("20070078892") or ("20070168567") or ("20070239905") or ("20070050591") or ("5784550") or ("20050138161") or ("5892970") or ("5848283") or ("6321276") or ("6449283") or ("6760787") or ("20020007427") or ("5375215") or ("5625800") or ("6078983") or ("6092127") or ("6148394") or ("4410943") or ("4758949") or ("4805090") or ("4885683") or ("4937818") or ("4956771") or ("5016169") or ("5038280") or ("5513368") or ("5619408") or ("5634099") or ("5666494") or ("5701433") or ("5717587") or ("5784271") or ("5813038") or ("5822772") or ("5867728") or ("5897654") or ("5911065") or ("5938739") or ("5960459") or ("5978858") or ("6085261") or ("6088740") or ("6105080") or ("6128669") or ("6145042") or ("6160560") or ("6205506") or ("6219750") or ("6219750") or ("6253225") or ("6466326") or ("6477587") or ("6526485") or ("6671761") or ("6701386") or ("6754732") or ("7028151") or ("20020023186") or ("20040039877") or ("20050220128") or ("5894583") or ("4388489") or ("4441163") or ("4445176") or ("5339449") or ("5479615") or ("5504898") or ("5652914") or ("5671365") or ("5758190") or ("5854823") or ("5875343") or ("5875342") or ("5889944") or ("6016424") or ("6067643") or ("6070209") or ("6108741") or ("6115682") or ("6138192") or ("6459904") or ("6460124") or ("20040073622") or ("20050179944") or ("20060212607") or ("4272819") or ("5324025") or ("5926645") or ("6192461") or ("7073043") or | US-PGPUB; USPAT | OR | OFF | 2007/11/20 12:30 |

L8	499	(host near3 (adapter interface port connector)) and ((link network) near3 (adapter interface port connector)) and (packet near3 (switch engine processor)) and (address near3 translation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 12:58
L9	6250	(address near3 translation) and ((virtual logical) near3 (address id)) and (physical near3 (address id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 13:02
L10	1930	(completion near3 (queue fifo buffer)) and ((event request work) near3 (queue fifo buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 13:06
L11	177	9 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 13:06
S27	1	((channel link) near3 (adapter interface port connector)) same (queue buffer) same (engine) same (cpu processor) same(address near3 translation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:34
S28	32	(host near3 adapter) with (address near3 translation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:35
S29	1844	709/250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:59

S30	9	COLLINS-BRIAN-M.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:59
S31	16	BERRY-FRANK-L.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:59
S32	7608	370/310,352,353,354.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 17:59
S33	498	(host near3 (adapter interface port connector)) and ((link network) near3 (adapter interface port connector)) and (packet near3 (switch engine processor)) and (address near3 translation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 12:58
S34	31	S32 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 18:15

Google Scholar BETA

adapter address translation virtual address ph   **Search**

Scholar   All articles - Recent articles Results 11 - 20 of about 7,030 for adapter address translation

All Results

E Lee

C Thekkath

D Dunning

P Druschel

G Regnier

Efficient virtual interface architecture (VIA) support for the IBMSP switch-connected NT clusters - all 6 versions »

M Banikazemi, V Moorthy, L Herger, DK Panda, B ... - Parallel and Distributed Processing
Symposium, 2000. IPDPS ..., 2000 - ieeexplore.ieee.org
... of this NIC is similar to the Micro Channel based SP2 **adapter** architecture reported
in ... Therefore **virtual** to **physical address translation** is required. ...
Cited by 43 - Related Articles - Web Search

Two level address translation and memory registration system and method - all 4 versions »

DJ Garcia, DL Fowler - US Patent 6,163,834, 2000 - Google Patents
... **Translation**/ Protection Table 4KB minimum size 4KB aligned 8B entry ... Table Index MH
-
Memory Handle VA - **Virtual Address** PSA - Psseudo **Address** PA - **Physical** ...
Cited by 11 - Related Articles - Web Search

Decoupled hardware support for distributed shared memory - all 7 versions »

SK Reinhardt, RW Pfile, DA Wood - Proceedings of the 23rd annual international symposium
on ..., 1996 - portal.acm.org
... tual **address translation** and fine-grain access control. **Virtual address translation**
directs remote data accesses to local **physical** memory. ...
Cited by 70 - Related Articles - Web Search

Composite drive controller including composite disk driver for supporting composite drive accesses ... - all 3 versions »

CS Jones, A Davis - US Patent 5,548,783, 1996 - Google Patents
... the composite **address**-to-physi- cal **address translation**, the drive ... an Adaptec
AHA-1540 host **adapter** card ... **virtual** drive location and sector **address** informa -tion ...
Cited by 39 - Related Articles - Web Search

System for accessing information in a data processing system - all 3 versions »

R Lary, R Willard, C Van Ingen, D Thiel, W Watson, ... - US Patent 5,386,524, 1995 - Google
Patents
... mapping system generally comprises a **translation** 55 as a ... ROOT—PTR, may contain
the
address ofa mechanism ... software that enables the **adapter** to efficiently ...
Cited by 32 - Related Articles - Web Search

Realizing the performance potential of the virtual interface architecture - all 18 versions »

E Speight, H Abdel-Shafi, JK Bennett - Proceedings of the 13th international conference on
..., 1999 - portal.acm.org
... VI Architecture is designed to **address** three important ... region registered are provided
to the VI **Adapter**. ... and avoid duplicate locking and **translation** operations ...
Cited by 71 - Related Articles - Web Search

... in hardware FIFO'S unused data start pointer to update virtual FIFO'S start address pointer for fast ... - all 3 versions »
DJ Lentz - US Patent 5,649,230, 1997 - Google Patents
... cessor and a peripheral processor. connected via the I/O bus 110 and bus adapter 120 and a bus ... corresponding to each virtual page. Address-translation reg- ...
Cited by 20 - Related Articles - Web Search

InfiniBridge: an InfiniBand channel adapter with integrated switch - all 8 versions »
CR Eddington, M Technol, CA Santa Clara - Micro, IEEE, 2002 - ieeexplore.ieee.org
... InfiniBand host channel adapters deliver both virtual-to- physical address translation and memory ... HCA TCA Host channel adapter Target channel adapter ...
Cited by 21 - Related Articles - Web Search

UTLB: a mechanism for address translation on network interfaces - all 10 versions »
Y Chen, A Bilas, SN Damianakis, C Dubnicki, K Li - ACM SIGOPS Operating Systems Review, 1998 - portal.acm.org
... An entry can either be invalid or contain the index in the translation table where the physical address for this virtual page is stored. ...
Cited by 37 - Related Articles - Web Search

Design and implementation of a direct access file system (DAFS) kernel server for FreeBSD - all 7 versions »
K Magoutis - Proceedings of the BSD Conference 2002 on BSD Conference ..., 2002 - portal.acm.org
... memory NIC store virtual-to- physical address translations and ... buffer (TLB) to translate
virtual to physical ... sig- nifying whether the page translation is valid ...
Cited by 31 - Related Articles - Web Search

◄ Goooooooooogle ►
Result Page: **Previous** 1 2 3 4 5 6 7 8 9 1011   **Next**

adapter address translation virtual a₁ | Search |

Google Home - About Google - About Google Scholar

©2007 Google

Google™
Scholar BETA

address translation virtual address physical ad [Search]

Scholar All articles - Recent articles Results 1 - 10 of about 83,800 for **address translation virtual** ;

All Results

B Bershad
S Eggers
S Savage
P Pardyak
E Sirer

[PDF] Extensibility safety and performance in the SPIN operating system - all 8 versions »
BN Bershad, S Savage, P Pardyak, EG Sirer, ME ... - ACM SIGOPS Operating Systems Review, 1995 - cs.dartmouth.edu
... Extensible memory management Components **Physical** storage -- **physical address** service
Naming -- **virtual address** service **Translation** -- **translation** service ...
Cited by 872 - Related Articles - View as HTML - Web Search

Virtual address to physical address translation cache that supports multiple page sizes - all 3 versions »
YA Khalidi, GR Anderson, SA Chessin, SI Kong, CE ... - US Patent 5,479,627, 1995 - Google Patents
... ment hardware such as a memory management unit (MMU) or paged memory management
unit (PMMU) performs the **address translation** from **virtual** addresses to **physical** ...
Cited by 61 - Related Articles - Web Search

Translation buffer for virtual machines with address space match - all 4 versions »
AH Mason, JS Hall, PT Robinson, RT Witek - US Patent 5,319,760, 1994 - Google Patents
... ad -dress, so whenever a **virtual address** is presented the ... management system finds
the **physical address** by referencing ... are kept in a **translation** buffer within ...
Cited by 76 - Related Articles - Web Search

Architectural support for translation table management in large address space machines - all 4 versions »
J Huck, J Hays - Proceedings of the 20th annual international symposium on ..., 1993 - portal.acm.org
... Inverted Page **Translation** Table **Virtual Address Physical Address** PDIR VA I We PDIR
Base ... Hashed Page **Translation** Table **Virtual Address** 1 1 J **Physical Address** ...
Cited by 92 - Related Articles - Web Search

Shared virtual address translation unit for a multiprocessor system - all 3 versions »
Y Fukunaga, T Bandoh, H Matsumoto, R Hiraoka, J ... - US Patent 4,481,573, 1984 - Google Patents
... which is used to look up the **translation** table to effect SV stem the **translation**
to the **physical address**. Thirdly, a conventional job processor uses a **virtual** ...
Cited by 60 - Related Articles - Web Search

The Quadrics network: high-performance clustering technology - all 56 versions »
F Petrini, W Feng, A Hoisie, S Coll, E ... - Micro, IEEE, 2002 - ieeexplore.ieee.org
... unit (MMU) translates 32-bit **virtual** addresses into ... To translate these **address**- es,
the MMU contains a 16-entry, fully asso- ciative, **translation** look-aside ...
Cited by 245 - Related Articles - Web Search

Coherency for multiprocessor **virtual address** caches
JR Goodman - ACM SIGOPS Operating Systems Review, 1987 - portal.acm.org
... for large pages results in large **physical** memory, which ... in the cache indexed by **virtual**, rather than ... Since **address translation** is required only when a cache ...
Cited by 62 - Related Articles - Web Search

The **Virtual** Interface Architecture - all 6 versions »
D Dunning, G Regnier, G McAlpine, D Cameron, B ... - Micro, IEEE, 1998 -
ieeexplore.ieee.org
... the memory. Nonvariable time for **virtual-to-physical address translation** is especially critical at the receiving endpoint. We did ...
Cited by 259 - Related Articles - Web Search

AN IN-CACHE **ADDRESS TRANSLATION** MECHANISM - all 3 versions »
DA Wood, SJ Eggers, G Gibson, MD Hill, JM ... - portal.acm.org
... Many systems with **physical address** caches perform **address translation** in parallel with the cache access, deriving the index from the **virtual address** and the ...
Cited by 50 - Related Articles - Web Search

ATUM: A New Technique for Capturing **Address** Traces Using Microcode - all 3 versions »
A Agarwai, RL Sites, M Horowitz - portal.acm.org
... be invaluable in studying the effects of **translation** lookaside buffer ... complete information for converting a **virtual-address** trace to a **physical-address** one. ...
Cited by 193 - Related Articles - Web Search

Goooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

address translation virtual address p   Search

Google Home - About Google - About Google Scholar

Google Scholar BETA

Scholar   **All articles - Recent articles** Results **11 - 20** of about **83,800** for **address translation virtual**

All Results

B Bershad

S Eggers

S Savage

P Pardyak

E Sirer

... hierarchical memories using a virtual storage scheme and physical to virtual address translation - all 4 versions »
T Doi, T Takemoto, Y Nakatsuka - US Patent 5,526,509, 1996 - Google Patents
... [54] METHOD AND APPARATUS FOR CONTROLLING ONE OR MORE HIERARCHICAL
MEMORIES USING
A **VIRTUAL** STORAGE SCHEME AND **PHYSICAL** TO **VIRTUAL ADDRESS**
TRANSLATION ...
Cited by 26 - Related Articles - Web Search

Complete computer system simulation: the SimOS approach - all 10 versions
»
M Rosenblum, SA Herrod, E Witchel, A Gupta - Parallel & Distributed Technology: Systems
& Applications, ..., 1995 - ieeexplore.ieee.org
... Binary **translation** is useful for operating system studies as ... itself and for the private
address spaces of ... each valid transla- tion between **virtual** and **physical** ...
Cited by 291 - Related Articles - Web Search

The TLB slice—a low-cost high-speed address translation mechanism - all 2
versions »
G Taylor, P Davies, M Farmwald - ACM SIGARCH Computer Architecture News, 1990 -
portal.acm.org
... Sun, SPUR) avoids **address translation** altogether by using **virtual** tags. The other
variant (EL.XSI, I-11') accesses the 'I'LB and the **physical** cache tag ...
Cited by 40 - Related Articles - Web Search

**... memory system employing virtual address primary instruction and data
caches and physical address ...** - all 3 versions »
GS Taylor, PM Farmwald, TP Layman, HX Ngo, AW ... - US Patent 5,542,062, 1996 -
Google Patents
... In such architectures, the cache is located after a **translation** lookaside buffer
(TLB) has translated a **virtual address** into a **physical address**. ...
Cited by 39 - Related Articles - Web Search

Software-Managed Address Translation - all 26 versions »
B Jacob, T Mudge - Proc. HPCA-3, IEEE CS Press, 1997 - doi.ieeecomputersociety.org
... systems could sus- tain long periods requiring no **address translation** at all ... the
operating system is free to implement whatever **virtual**-to-**physical** mapping it ...
Cited by 53 - Related Articles - Web Search

Architecture support for single address space operating systems - all 4
versions »
EJ Koldinger, JS Chase, SJ Eggers - Proceedings of the fifth international conference on ...,
1992 - portal.acm.org
... they define a unique mapping between **virtual** and **physical** addresses, they introduce
a new constraint that ... and allows **address translation** to be removed from the ...
Cited by 70 - Related Articles - Web Search - Library Search

Machine-independent **virtual** memory management for pageduniprocessor and multiprocessor architectures - all 58 versions »

R Rashid, A Tevanian Jr, M Young, D Golub, R Baron ... - Computers, IEEE Transactions on, 1988 - ieeexplore.ieee.org
... A. **Virtual** Memory Data Structures Four basic memory management ... or a user task, 3) the **address** map: a ... data structure (ie, a hardware-defined **physical address** map ...
Cited by 236 - Related Articles - Web Search - Library Search

Virtual storage dynamic **address translation** mechanism for multiple-sized pages - all 3 versions »

SW White - US Patent 5,058,003, 1991 - Google Patents
... tive words defines all of the pages in **physical** storage, ... The **virtual address translation** process con- 55 sists of searching a chain. ...
Cited by 43 - Related Articles - Web Search

Address translator - all 3 versions »

H Ikegaya, H Umeno, T Kubo, Y Ukai, N Sugama - US Patent 4,802,084, 1989 - Google Patents
... a common segment, whereby that one of said **physical** addresses stored in said **address translation** buffer which corresponds to the **virtual address** specified by ...
Cited by 50 - Related Articles - Web Search

Dynamic flow instruction cache memory organized around trace segments independent of **virtual address** ... - all 3 versions »

A Peleg, U Weiser - US Patent 5,381,533, 1995 - Google Patents
... instruction requested by the execution unit is 35 not found in the cache memory (miss), the **physical address** or the **virtual address** after **translation** to physi ...
Cited by 138 - Related Articles - Web Search

◄ Goooooooooogle ►

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11   **Next**

| address translation virtual address p | Search |

Google Home - About Google - About Google Scholar

©2007 Google

Google Scholar BETA

Scholar   All articles - Recent articles Results **21 - 30** of about **83,800** for **address translation virtual**

All Results

B Bershad

S Eggers

S Savage

P Pardyak

E Sirer

Virtual memory computer apparatus and **address translation** mechanism employing hashing scheme and ... - all 3 versions »
YA Khalidi, M Talluri, DG Williams, VP Joshi... - US Patent 5,446,854, 1995 - Google Patents
... such as a memory manage- 30 ment unit (MMU) or paged memory management unit (PMMU)
performs the **address translation** from **virtual** addresses to **physical** addresses ...
Cited by 31 - Related Articles - Web Search

Virtual to **physical address translation** scheme with granularity hint for identifying subsequent ... - all 3 versions »
RL Sites, RT Witek - US Patent 5,454,091, 1995 - Google Patents
... [45] DateofPatent: [54] **VIRTUAL** TO **PHYSICAL ADDRESS TRANSLATION** SCHEME WITH
GRANULARITY HINT FOR IDENTIFYING SUBSEQUENT PAGES TO BE ACCESSED ...
Cited by 22 - Related Articles - Web Search

Petal: distributed **virtual** disks - all 44 versions »
EK Lee, CA Thekkath - Proceedings of the seventh international conference on ..., 1996 - portal.acm.org
... The **virtual**-to-**physical address translation** module contains common routines
used by the various data access and recovery modules. ...
Cited by 405 - Related Articles - Web Search

Virtual-address caches. Part 1: problems and solutions inuniprocessors - all 3 versions »
M Cekleov, M Dubois - Micro, IEEE, 1997 - ieeexplore.ieee.org
... S/U RWX Page table Page table entry (PTE) Check rights RWX VMR ... RWX VMR ... Figure
1. **Virtual**-to-**physical address translation**. . Page 3. tual **address**. ...
Cited by 34 - Related Articles - Web Search

Method and apparatus for preloading different default **address translation** attributes - all 3 versions »
K Yamada, GN Hammond - US Patent 5,918,251, 1999 - Google Patents
... If the TLB 230 contains the **translation** for the **virtual address** 200, the **physical**
page number is retrieved from the TLB 230 and concatenated with the m bits ...
Cited by 33 - Related Articles - Web Search

Method and apparatus for preloading default **address translation** attributes - all 3 versions »
GN Hammond - US Patent 5,918,250, 1999 - Google Patents
... If the **translation** corresponds to the **virtual address**, the **physical address** portion
of the **translation** is concatenated with the offset portion of the **virtual** ...
Cited by 29 - Related Articles - Web Search

Content addressable memory having memory cells storing don't care states for **address translation** - all 3 versions »

EJ McLellan, BA Gieseke - US Patent 5,890,201, 1999 - Google Patents
... FIG. 1, there is shown a block diagram of a digital computer system that employs
virtual-to- **physical address translation**. The digital ...
Cited by 36 - Related Articles - Web Search

Eliminating the **address translation** bottleneck for **physical address** cache - all 2 versions »

T Chiueh, RH Katz - ACM SIGPLAN Notices, 1992 - portal.acm.org
... of the most important factors in determining the processor cycle time is the placement
and organization of the **virtual**- to-**physical address translation** hardware ...
Cited by 23 - Related Articles - Web Search

UTLB: a mechanism for **address translation** on network interfaces - all 10 versions »

Y Chen, A Bilas, SN Damianakis, C Dubnicki, K Li - ACM SIGOPS Operating Systems
Review, 1998 - portal.acm.org
... An entry can either be invalid or contain the index in the **translation** table
where the **physical address** for this **virtual** page is stored. ...
Cited by 37 - Related Articles - Web Search

Logically disconnectable **virtual**-to-**physical address translation** unit and method for such ... - all 3 versions »

DH Nguyen, RM Chu... - US Patent 5,564,052, 1996 - Google Patents
... [54] LOGICALLY DISCONNECTABLE **VIRTUAL-TO-PHYSICAL ADDRESS
TRANSLATION** UNIT AND METHOD
FOR SUCH DISCONNECTION ... 10 / **VIRTUAL-*- PHYSICAL** 201 **ADDRESS
TRANSLATION** ...
Cited by 17 - Related Articles - Web Search

◀ Gooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 101112   **Next**

address translation virtual address p   Search

Google Home - About Google - About Google Scholar

Google Scholar BETA

adapter address translation virtual address ph   Search

Scholar All articles - **Recent articles** Results 1 - 10 of about 7,030 for **adapter address translation**

All Results

E Lee

C Thekkath

D Dunning

P Druschel

G Regnier

The **Virtual** Interface Architecture - all 6 versions »
D Dunning, G Regnier, G McAlpine, D Cameron, B ... - Micro, IEEE, 1998 -
ieeexplore.ieee.org
... n consecutive entries in the **translation** and protection ... page size so that when the
virtual address cross- es ... the Intel Ether- Express Pro/100B network **adapter**. ...
Cited by 259 - Related Articles - Web Search

Experiences with a high-speed network adaptor: a software perspective - all 8 versions »
P Druschel, LL Peterson, BS Davie - Proceedings of the conference on Communications ...,
1994 - portal.acm.org
... data between main memory and network **adaptor**. ... Systems provide support for **virtual
address** DMA through ... hardware **virtual- to-physical translation** buffer (scatter ...
Cited by 185 - Related Articles - Web Search - Library Search

Petal: distributed **virtual** disks - all 44 versions »
EK Lee, CA Thekkath - Proceedings of the seventh international conference on ..., 1996 -
portal.acm.org
... global map is tried if an appropriate **translation** is not ... is to break up a **virtual**
disk's **address** range into ... strings using the Digital PMZAA-C host bus **adapter**. ...
Cited by 405 - Related Articles - Web Search

Virtual display **adapter** - all 3 versions »
S Gupta, SP Larky, AW Peevers, JCS Clair - US Patent 5,113,180, 1992 - Google Patents
... **translation** mechanism within the **virtual** display Page 12. 5, 1 1 3, 1 80 **adapter**
810 translates the **address** and performs the graphics operation in the **physical** ...
Cited by 25 - Related Articles - Web Search

[PDF] VMMC-2: Efficient Support for Reliable, Connection-Oriented Communication - all 12 versions »
C Dubnicki, A Bilas, Y Chen, S Damianakis, K Li - Proc. of the Hot Interconnects Symposium
V, 1997 - cs.unm.edu
... The **address translation** (from **virtual** to **physical**) in the Myrinet VMMC implementation
uses a rmware-managed cache on the Myrinet network interface that ...
Cited by 119 - Related Articles - View as HTML - Web Search

Dynamic **address translation** system - all 2 versions »
Y Katsumata - US Patent 4,373,179, 1983 - Google Patents
... In the **virtual** memory system, the access protec -tion ... invention to realize a dynamic
address translation system for ... the channel or sub-system **adapter** for such ...
Cited by 23 - Related Articles - Web Search

Apparatus for providing shared **virtual** memory among interconnected computer nodes with minimal ... - all 3 versions »
J Sandberg... - US Patent 5,592,625, 1997 - Google Patents
... addresses, but also to network **virtual** shared memory ... The **adapter** network is a
distributed shared memory ... page tables and run-time **address translation** at the ...

Cited by 52 - Related Articles - Web Search

Computer system employing virtual memory - all 2 versions »
JE Smith, GE Dermer, MA Goldsmith - US Patent 4,774,659, 1988 - Google Patents
... IOP PERIPHERAL **ADAPTER** (IP ... **physical address** are generated by combin- ing a portion
of the **virtual address** with a portion of the matching **translation** descriptor ...
Cited by 57 - Related Articles - Web Search

TNet: a reliable system area network - all 9 versions »
RW Horst, TC Inc, CA Cupertino - Micro, IEEE, 1995 - ieeexplore.ieee.org
... CPUs have an **address** validation and **translation** table (AVT) to map the **virtual**
TNet **address** space to time proces- sor's **physical address** space. ...
Cited by 157 - Related Articles - Web Search

Method for updating value in distributed shared virtual memory among interconnected computer nodes ... - all 5 versions »
J Sandberg... - US Patent 5,522,045, 1996 - Google Patents
... addresses, but also to network **virtual** shared memory ... The **adapter** network is a
distributed shared memory ... page tables and run-time **address translation** at the ...
Cited by 35 - Related Articles - Web Search

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

| adapter address translation virtual a | Search |

Google Home - About Google - About Google Scholar

©2007 Google